10/680,834

## REVISED ENCLOSURE (B)

## **AMENDMENT (A) CLAIMS**

## Claims What is claimed is:

- 1. (amended) A <u>refractory</u> fireback for use in domestic open fireplaces and which in use surrounds [[the]] <u>a</u> fire bed and which extends upwardly to a throat which in use connects with a chimney, the fireback having walls with Inner surfaces that slope forming one of a generally frustoconical and pyramidal shape and sloping steadily inwardly towards the throat to decrease the cross sectional area of the inner surfaces of the fireback, the <u>cross section of the fireback having</u> a larger area being at a height substantially <u>at</u> the level of the fire bed and <u>a</u> smaller area being adjacent the throat.
- 2. (original) A fireback as claimed in Claim 1 wherein the inner surfaces of the fireback walls have at least in some places their surface area increased by having raised surface features thereon.
  - 3. (currently amended) A fireback as claimed in Claim 2 wherein the inner surface surfaces have at least in some area areas, corrugations or undulations formed thereon.
  - 4. (currently amended) A fireback as claimed in Claim 3, wherein the corrugations or undulations form peaks lying in planes extending substantially parallel to the base of the fireback.

25

20

5. (currently amended) A fireback as claimed in Claims Claim 1, wherein the inner surfaces of the fireback slope inwardly at an angle of between 15-25 degrees of arc from the vertical, preferably about 21 degrees.

- 6. (canceled)
- 7. (cancelled)
- 5 8. (cancelled)
  - 9. (cancelled)
  - 10. (cancelled)

10

- 11. (currently amended) A fireback as claimed in Claim [[6]] 15, wherein the fireback is formed as a single refractory cement casting.
- 12. (currently amended) A fireback as claimed in Claim [[8]] 17, wherein the fireback is formed as a single refractory cement casting.
  - 13. (currently amended) A fireback as claimed in Claim [[6]] 15, wherein the base portion of the fireback from its base to a height substantially level with the fire bed may be vertical.

20

- 14. (currently amended) A fireback as claimed in Claim [[8]] 17, wherein the base portion of the fireback from its base to a height substantially level with the fire bed may be vertical.
- 15. (new) A fireback as claimed in Claim 1, wherein the inner surfaces of the fireback are of generally frustoconical shape and are semi-circular in horizontal cross-section with the fireback opening being formed on the diameter thereof.

3

- 16. (new) A fireback as claimed in Claim 5, wherein the inner surfaces of the fireback are of a generally pyramidal shape.
- 17. (new) A fireback as claimed in Claim 16, wherein the fireback has a polygonal base having at least six sides with the fireback opening being formed on a centre line of the base.